

6690 Jones Mill Court • Bldgs. A, B & C Norcross, GA 30092 USA Phone 770-441-5900 • Fax 770-409-7259 Toll Free 800-241-7708 Website: www.american-niagara.com Contact: mike@american-niagara.com (or) scott@american-niagara.com



Section 1. Chemical Product and Company Identification

Product name TRIPLE BLEND (a/k/a M.C.-250, KNOX-OUT & VARIOUS Product use D PRIVATE LABELED BRANDS) **Cured Plastisol Ink & Stain Remover & Degreaser** Date of issue

0

Supersedes 10/22/13 01/20/15

Emergency Telephone Numbers For MSDS Information: Compliance Services 1-800-241-7708

For Emergency - 24 HOUR CHEMTREC 800-424-9300



Prepared By AMERICAN NIAGARA

Section 2. Hazards Identification

Emergency overview

DANGER !

*Hazard Determination System (HDS): Health, Flammability, Reactivity 2

NON-FLAMMABLE. HARMFUL OR FATAL IF \$WALLOWED. HARMFUL IF INHALED.

NOTE: MSDS data pertains to the product as delivered in the original shipping container(s). Risk of adverse effects are lessened by following all prescribed safety precautions, including the use of proper personal protective equipment.

Acute Effects **Routes of Entry** Dermal contact. Inhalation.

- **Eyes** Causes eye irritation. Liquid in eye may cause irritation with possible damage if not rinsed immediately.
- Skin Causes skin irritation. Harmful if absorbed through the skin. Skin inflammation is characterized by itching, scaling, or reddening.
- **Inhalation** DO NOT breathe vapors or spray mist. Harmful if inhaled. Over-exposure by inhalation may cause respiratory irritation. High vapor concentrations can cause headaches, dizziness, drowsiness and nausea and may lead to unconsciousness. Severe over-exposure can result in death. Can cause central nervous system (CNS) depression.
- Ingestion HARMFUL OR FATAL IF SWALLOWED. Aspiration hazard if swallowed. Can enter lungs and cause damage.
- **Chronic effects** Repeated or prolonged exposure to the substance can produce target organs damage. Overexposure of this product by inhalation or absorption can produce central nervous system depression resulting in headache, nausea and/or dizziness. Contains material which may cause damage to the following organs: blood, kidneys, lungs, liver, peripheral nervous system, gastrointestinal tract, central nervous system (CNS). Defatting to the skin.

Carcinogenicity Contains material which can cause cancer. Risk of cancer depends on duration and level of exposure.

Additional Information: See Toxicological Information (Section 11)

Section 3. Composition/Information on Ingredients		
Name of Hazardous Ingredients	CAS number	<u>% by Weight</u>
		$/\Box * \Box 1$
FETRACHLOROETHYLENE; perchloroethylene; perc; carbon bichloride METHYLENE CHLORIDE; dichloromethane; methylene dichloride	127-18-4	10-20
· · · · · · · · · · · · · · · · · · ·	75-09-2	60-90

	Ma	terial Safety Data Sheet	TRIPLE BLEND		
Section 4. Fir	st Aid Measures				
Eye Contact			ng the upper and lower eyelids. Check for and nutes. Get medical attention immediately.		
Skin Contact	Immediately wash with water and soap and rinse thoroughly. Remove contaminated clothing and shoes. Wash clothing before reuse. Get medical attention if irritation develops.				
nhalation	Move exposed person to fresh air. If breathing is difficult, give oxygen. If not breathing, give artificial respiration. Get medical attention immediately.				
Ingestion		ng occurs, the head should b	hage. Do not induce vomiting unless directed to do be kept low so that vomit does not enter the lungs. medical attention immediately.		
Section 5. Fir	e Fighting Measures	National Fire Protect	ction Association (U.S.A.)		
Flash Point	None to Boiling point. Closed cup: 76.66°C (170°F). (Tagliabue.)				
Flammable Li	The second secon				
Flammability	KLKB				
Fire hazard	NON-FLAMMABLE				
Fire-Fighting Procedures	Use dry chemical, CO ₂ , water a waterways.	spray (fog) or foam. Do not	release runoff from fire to sewers or		
Section 6. Ac	cidental Release Measures				
Spill Clean u		with an inert material and p	tective equipment (see section 8). Move place in an appropriate waste disposal container.		
Section 7. Ha	ndling and Storage				
	or any other ignition source. Do not g	get in eyes or on skin or clot Vash thoroughly after handli	Store and use away from heat, sparks, open flame hing. Do not breathe vapor or mist. Do not ingest. ing. Empty containers retain product residue and ons.		
Storage	Eliminate all ignition sources. Keep of	container tightly closed and	sealed until ready for use. Store between the r from food, drink and animal feeding stuffs. Keep o		
Section 8. Ex	posure Controls/Personal Prote	ction			
Product name		Exposure limits			
TETRACHLOROE	THYLENE; perchloroethylene; perc; carbon	ACGIH TLV (United States). TWA: 25 ppm 8 hour(s). STEL: 100 ppm 15 minute(s). OSHA PEL (United States). TWA: 100 ppm 8 hour(s).			
METHYLENE CH	LORIDE; dichloromethane; methylene	CEIL: 200 ppm OSHA PEL (United States). TWA: 25 ppm 8 hour(s). Form: OSHA (United States). STEL: 125 ppm 15 minute(s). I			
Personal Pro	tective Equipment (PPE)				
Eyes Body	Use safety goggles. Wear appropriate protective clothing Recommended: Viton gloves. Wear				

			Material Safety Da	ata Sheet	TRIPLE BI	END		
	controls t	to keep the airb onal exposure li	lation. Provide exhaust ver orne concentrations of vap mits. Wear appropriate re	oors below their res	spective	5		
Section 9. Phy	sical an	d Chemical F	Properties					
Physical State pH Boiling Point Specific Gravit Solubility	38.9° y 1.04	pplicable C (102°F) uble in the follo	wing materials: cold wate	Vapor r and Evapora	Odd Pressu or Densi	re 12 kPa (9 ty >1 [Air = te >1 (Buty	a. Solvent-like. [Strong 90 mm Hg) = 1] 1 acetate. = 1) 4.0 lbs/gal	g]
Section 10. Sta	ability a	nd Reactivity						
Stability and Re Incompatibility Hazardous Poly Hazardous Dec	meriza	Reactiv	oduct is stable. e or incompatible with the ot occur. E Emits very toxic fume	Ū.		C		oride (
Section 11. To	xicolog	ical Informati	on					
Acute Toxicity Product/ingred Tetrachloroethylene Methylene Chloride	lient na	me	Result LD50 Dermal LD50 Oral LD50 Oral	Species Rabbit Rat Rat	262	000 mg/kg 29 mg/kg 36 mg/kg	Exposure	
Section 12. Ec	ologica	I Information						
Environmental Aquatic Ecotox Product/ingree Tetrachloroethylene Methylene Chloride	<u>icity</u> dient na		wn significant effects or c Test	ritical hazards. Result Acute LC50 13 n Acute LC50 244	-	cies sh - Bluegill. uphnia	Exposure 4 hours 4 hours	
Section 13. Dis		Consideration	IS			.p.i.i.u	. nous	
Waste Informat Waste must be dis regional authoritie Waste Stream	ion sposed of es for add Code: D Classific	in accordance litional informa	with federal, state and location. dous waste.]	al environmental co	ontrol reg	ulations. C	onsult your local or	
Section 14. Tra	ansport	Information						
Regulatory informa	ition l	JN number	Proper shipping name	Classes	PG*	Label		
DOT Classification	1 2	2810	TOXIC LIQUIDS ORGANIC, N.O.S. (MCL)	6.1	III			
IMDG Class	1	Not determined.						

NOTE: DOT classification applies to most package sizes. For specific container size classifications or for size exceptions, refer to the Bill of Lading with your shipment. PG* : Packing group

	Material Safety Data Sheet TRIPLE BLEND
Section 15. Regulatory	Information
U.S. Federal Regulations SARA 313 toxic chemical Product name Tetrachloroethylene Methylene Chloride	notification and release reporting:
Clean Water Act (CWA) Clean Air Act (CAA) 112) 307: Tetrachloroethylene) 311: Methylene Chloride 2 regulated toxic substances: Tetrachloroethylene; Methylene Chloride roduct are listed or exempt from listing on TSCA Inventory.
State Regulations California Prop 65	WARNING: This product contains a chemical or chemicals known to the state of California to cause cancer, birth defects or other reproductive harm.: Tetrachloroethylene; Methylene Chloride
Section 16. Other Inform	nation

To the best of our knowledge, the information contained herein is accurate. However, neither the above named supplier nor any of its subsidiaries assumes any liability whatsoever for the accuracy or completeness of the information contained herein.

Final determination of suitability of any material is the sole responsibility of the user. All materials may present unknown hazards and should be used with caution. Although certain hazards are described herein, we cannot guarantee that these are the only hazards that exist.

*NOTE: Hazard Determination System (HDS) ratings are based on a 0-4 rating scale, with 0 representing minimal hazards or risks, and 4 representing significant hazards or risks Although these ratings are not required on MSDSs under 29 CFR 1910.1200, the preparer may choose to provide them. HDS ratings are to be used with a fully implemented program to relay the meanings of this scale.